




Certificate of Analysis for HipSci iPSC


Cell Line Name	HPSI1113i-podx_1	Culture and Passaging Methods.	Feeder Free*
Biosample ID	SAMEA2533339	Catalogue No.	77650036
Reprogramming Method	CytoTune® 1	Lot.	9.10.14
Disease Association	Normal	Donor Cell Material	Skin tissue
Gender	Female	Passage No.	p31
Associated Data and Publications	http://www.hipsci.org/lines/#/lines http://www.ebi.ac.uk/biosamples/browse_samples.html?keywords=hipsci		

The following standard testing criteria have been determined within CGaP, prior to release of this product:

Test	Assay	Result
Confirmed Sterility	PCR for Mycoplasma	Pass
Cell Line Identity	Fluidigm	Pass
Viability post-thaw	Growth to confluence post-thaw	Pass
Morphology	Continuous visual assessment of iPSC colony morphology.	Pass
Stem Cell Marker Expression	Pluri test	Pass http://www.hipsci.org/lines/#/lines/HPSI1113i-podx_1
Clearance of Reprogramming Factors	rtPCR analysis	Pass

*These Cell lines were cultured in media containing Pen/Strep.

Acceptable for release: Signed  Date 26/02/16
Project Lead

Agreed by: Signed  Date 26/2/16
Head of Operations