

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

This product is for research only

ECACC Catalogue No: 66540607

Cell Line Name	PFIZI022-A	Batch Number	M001
Donor ID	OD014		
Disease Association	Dravet Syndrome	Phenotype of Donor	Affected
Tissue of Origin	PBMC (Erythroblast)	Sex	Female
Reprogramming Method	Non-integrating Sendai Virus (POU5F1, SOX2, KLF4, MYC)		
Passage Number	Passage 12	Cell number / vial	1.9x10 ⁶
Culture Matrix	Geltrex / Matrigel	Culture Medium	mTeSR™1
O ₂ Concentration	20%	CO ₂ Concentration	5%
Passaging Method	EDTA	Additional Culture Information	N/A
Cryopreservation Medium	40% FBS* / 50% medium / 10% DMSO *Serum of Zone 1 origin		
Recommendation for thawing	Recommended thaw into 2 wells of a 6-well plate or per 10cm ² Refer to cell line user protocols for further guidance at www.EBiSC.org		
Additional Comments	Typical recovery after thaw, typical growth to confluency		
Associated Publications	N/A		

Please see www.EBiSC.org for further information on Quality Control applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
Sterility	Inoculation for microbiological growth	Not Detected	Pass
	qPCR for Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Pass
Cell Line Identity	Short Tandem Repeat analysis using PCR	N/A	Allele data recorded and available upon request. Profile match to donor
Viability	Visual Assessment	Growth to confluence post-thaw	Acceptable
Phenotype	Continuous visual assessment of iPSC colony morphology	Recorded	Typical iPSC colonies with low differentiation levels

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

This product is for research only



ECACC Catalogue No: 66540607


Test	Assay	Acceptance Criteria	Result
Phenotype	Flow Cytometry	SSEA-4 > 70% + TRA-1-60 > 70% + SSEA-1 < 10% + POU5F1 > 70% +	Pass
Differentiation Potential	Spontaneous EB differentiation and qPCR for trilineage markers	Up-regulation of germ layer markers	Endoderm: Not detected Mesoderm: Detected Ectoderm: Detected

Additional cell line characteristics have been determined by original reprogramming centres and have not been independently verified by EBiSC. Historical cell line data displayed here is accurate according to data provided by depositors on 09-Mar-2018

Test	Assay	Result
Genetic Defect	Sanger Sequencing of ALG13 affected location	Mutation p.Asn29Ser (AAT>AGT): c.86 A>G in exon 3 confirmed
Karyotype	G-banding 20 metaphase spreads	18/20 diploid female karyotype (46,XX) 1/20 45,XX,-9 1/20 45,XX,-21
Clearance of Reprogramming Factors	qPCR for Sendai Backbone	Not detected
Differentiation Potential	Directed differentiation and qPCR for endoderm markers	Endoderm: Detected

The following guidance can be found in the Instructions for Use	
Intended use	Expiry Date
Product Format	Recommended storage conditions
Volume	Hazardous Information

Approved CoA

Signature 

Date 09 mar 2018



In case of queries, please contact culturecollections.technical@phe.gov.uk. European Collection of Authenticated Cell Cultures (ECACC), Culture Collections, Public Health England, Tel: +44 (0) 1980 612684