

iPSC	Line:	

Cedars-Sinai RMI Induced Pluripotent Stem Cell (iPSC) Core Certificate of Analysis (COA)

Cell Line Name	
CS Vial ID #(s)	
Date Vialed	
Passage Number	

The following testing specifications have been met for the specified cell line:

Test Description	Test Specification	Result
Mycoplasma	No contamination detected	
Alkaline Phosphatase Staining	Positive AP staining	
Karyotype by G-Banding	Normal Karyotype	
Pluripotency		
PrimeView Global Gene Expression Profile Assay (<u>PluriTest</u>)	Pluripotency score ≥ 20 and novelty score ≤ 1.6	
Immunocytochemistry (IF-IC)	OCT3/4, NANOG, SOX2, TRA-1-60, TRA-1-81, SSEA4	
<u>TaqMan® hPSC Scorecard™ Assay</u>	Confirm appropriate expression of self-renewal factors	
Differentiation		
EB Formation	Successful Embryoid Body (EB) formation after 14 days	
TaqMan® hPSC Scorecard™ Assay	Tri-lineage differentiation potential	
	Endoderm, Ectoderm and Mesoderm	
Reprogramming Plasmid Integration		
Genomic DNA PCR	Confirm the presence or absence of exogenous reprogramming plasmids	
Parent Cell Line Lineage Determinat	ion	
TCRB + TCRG T-Cell Clonality Assay	Confirm presence or absence of clonal T-cell receptor beta	
(Blood derived cell lines only)	chain and gamma chain gene rearrangements in iPSCs	
Cell Line Authentication		
<u>STR Analysis</u>	Confirm identity matching score is above 80%	

DHRUV SAREEN, Ph.D CORE DIRECTOR



CONTACT INFORMATION:

Core Director: Dhruv Sareen, Ph.D.	Institution: Cedars-Sinai RMI Induced Pluripotent Stem Cell Core	
Phone Number: (310) 423-7074	Address: 8700 Beverly Blvd. AHSP 8500	
Email Address: iPSCCore@cshs.org	Los Angeles, CA 90048 USA	
PARENT LINE IDENTIFICATION	N AND INFORMATION:	
Parent Cell Line:		
Age at Tissue Sampling:		
Phenotypic Sex:	Male	Female
Clinical Diagnosis (if known):		
Specific Mutations (if known):		
Additional Information:		
	ATIONI.	
REPROGRAMMING INFORMA	ATION.	
iPSC Line Name:		
Vial ID(s):		
Starting Cell Type:	PBMC Fibroblast Other:	. <u> </u>
	Episomal Sendai Virus Other:	
Reprogramming Factors:	Oct3/4 Sox2 KLF4 L-Myc	shp53 Lin28
Other:		
CULTURING INFORMATION: MEDIUM:		
Growth Medium:		
Company:		
Catalog #:		

iPSC Line: _____



SUBSTRATE: Substrate Specification: Company: Catalog #: Coating Concentration: PASSAGING METHOD:			
Method:	STEMPRO EZPassage Tool	Versene (EDTA)	ReLeSR
Passaging Frequency: Average Split Ratio: Cell Line Preferred Method:	7 days	7 days	7 days
Rate of Differentiation: Freezing Media:	High (≥50%)	Moderate (30-40%)	Low (≤20%)
Recovery Media:			
CHARACTERIZATION OF UN G-BAND KARYOTYPE: Performed By: Passage Number: Karyotyping Analysis & Results Interpretation:		OTENT CELL LINE:	
Comments:			
PLURITEST:			
Final Result: Pluripotency Score: Novelty Score:	Pass Fail	_ Further Evaluate	TBD N/A

iPSC Line: _____



A AA ALIALOOVTOCLUSA ALCTOV							
MMUNOCYTOCHEMISTRY:	AP	SSEA-4	Tra-1-60	Tra-1-81	Nanog	Oct4	Sox2
Pluripotency Marker:							
						•	-
PLASMID INTEGRATION ANAL	<u>.YSIS:</u>						
bsence of plasmid integration coا آ							
	EBNA	Negative	El	BNA Positiv	ositive TBD		
Result:							
Passage #:							
CLIADACTEDIZATION OF DIFFE	DENITIAT		NITIAI -				
CHARACTERIZATION OF DIFFE							
his cell line has been assessed fo							
14 Day Embryoid Body Forma	tion	TaqMan	[®] hPSC Scor	ecard™ Ass	ay <u> </u>	PCR	
PSC SCORECARD DATA ANALYSIS:	,						
	Self-Rei	newal	Endodern	n E	ctoderm	Me	soderm
iPSC (Day 0):							
Score:							
EBs (Day 14):							
Score:							
Comments:							
PARENT CELL LINE LINEAGE D	ETERMIN	IATION:					
Blood derived cell lines only)							
		TCR-αβ			TCR-γδ		
T-Cell Clonality Assay:	Po	sitive	Negati	ve	Positive		Negative
Final Result:	T-Cell	Derived	Non T	-Cell Derive	d T	BD	N/A

iPSC Line: _____



	REGENERATIVE MEDICINE INSTITUTE				i	iPSC Line:			
SELL LINE		ATIONI							
LELL LINE /	AUTHENTIC	ATION:							
Parent Cell	Line:								
AMEL	CSF1PO	D13S317	D16S539	D5S818	D7S820	TH01	TPOX	vWA	
iPSC Line:									
AMEL	CSF1PO	D13S317	D16S539	D5S818	D7S820	TH01	TPOX	vWA	
% Identity I	Match:								
IDEXX IBR #	t(s):								
ADDITIONA	AL INFORMA	<u> ATION:</u>							