

# Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

*This product is for research only*

ECACC Catalogue No: 66540259

Cell Line Name	LUBi001-C	Batch Number	M001
Donor ID	PGRN-8310		
Disease Association	Frontotemporal Dementia	Phenotype of Donor	Affected
Tissue of Origin	Fibroblasts	Sex	Male
Reprogramming Method	Non-integrating Sendai virus (POU5F1, SOX2, CMYC, and KLF4)		
Passage Number	Passage 17	Cell number / vial	2 x 10 <sup>6</sup>
Culture Matrix	Matrigel/Geltrex	Culture Medium	E8
O <sub>2</sub> Concentration	21%	CO <sub>2</sub> Concentration	5%
Passaging Method	EDTA	Additional Culture Information	N/A
Cryopreservation Medium	40% FBS*/ 50% medium / 10% DMSO *Serum of Zone 1 origin		
Recommendation for thawing	Recommended thaw into 1 well of a 6-well plate or per 10cm <sup>2</sup> Refer to cell line user protocols for further guidance at <a href="http://www.EBiSC.org">www.EBiSC.org</a>		
Additional Comments	Slow recovery after thaw, typical growth to confluency		
Associated Publications	PubMed ID: N/A		

Please see [www.EBiSC.org](http://www.EBiSC.org) for further information on Quality Control applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
<b>Sterility</b>	Inoculation for microbiological growth	Not Detected	Pass
	qPCR for Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Pass
<b>Cell Line Identity</b>	Short Tandem Repeat analysis using PCR	N/A	Allele data recorded and available upon request. Gender match to donor
<b>Viability</b>	Visual Assessment	Growth to confluence post-thaw	Low, slow recovery
<b>Phenotype</b>	Continuous visual assessment of iPSC colony morphology	Recorded	Typical iPSC colonies with low differentiation levels

# Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

*This product is for research only*

ECACC Catalogue No: 66540259

Test	Assay	Acceptance Criteria	Result
<b>Phenotype</b>	Flow Cytometry	SSEA-4 > 70% + TRA-1-60 > 70% + SSEA-1 < 10% +	Pass
<b>Differentiation Potential</b>	Spontaneous EB differentiation and qPCR for trilineage markers	Up-regulation of germ layer markers	Endoderm : Detected Mesoderm : Detected Ectoderm : Detected


Additional cell line characteristics have been determined by original reprogramming centres and have not been independently verified by EBiSC. Historical cell line data displayed here is accurate according to data provided by depositors on 12-SEP-2016

Test	Assay	Result
<b>Karyotype</b>	G-Banding	30/30 diploid Male karyotype (46, XY)
	KaryoLite BoBs	No autosomal or sex chromosome aneuploidies detected
<b>Clearance of Reprogramming Factors</b>	qPCR	Not detected

The following guidance can be found in the Instructions for Use	
<b>Intended use</b>	<b>Expiry Date</b>
<b>Product Format</b>	<b>Recommended storage conditions</b>
<b>Volume</b>	<b>Hazardous Information</b>

Approved CoA

Signature



Date

16 Sep 2016