Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

| Cell Line Name SIGi001-A-17 Batch / Lot Number P001 |
|---|
|---|

| Reprogramming Method | Integrating Retrovirus (KLF4, MYC, POU5F1, SOX2) | | |
|------------------------------|---|--|--------------------------------------|
| Genetic Modification | Transgene expression Dox inducible NGN2 (CRISPR-Cas9) Isogenic modification MAPT | | |
| Passage Number | (EX10 P301S, homo 27 | zygous; EX10 + 16 bp = C Cell number / vial | -> T, homozygous) 1-2x10E6 |
| Culture Matrix | Matrigel™ | Culture Medium | mTeSR™-1 |
| O ₂ Concentration | 21% | CO ₂ Concentration | 5% |
| Passaging Method | EDTA | Additional Culture Information | Rho kinase inhibitor used at thaw |
| Cryopreservation Medium | 50% mTeSR1, 40% FCS*, 10% DMSO *Serum of Zone 1 origin | | |
| Recommendation for thawing | Recommended thaw into 60mm plates Refer to cell line user protocols for further guidance at www.EBiSC.org | | |
| Additional Comments | Typical recovery after thaw, typical growth to confluency | | |

Please see https://cells.ebisc.org for further information on Quality Control and characterisation applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

| Test | Assay | Acceptance Criteria | Result |
|--------------------|--|--|--|
| Sterility | Inoculation for microbiological growth | Not Detected | Pass |
| | Mycoplasma | Not Detected | Pass |
| | Virology (HIV1, HIV2, HBV, HCV) | Not Detected | Absence of viral pathogens in other cell line clone from same donor |
| Cell Line Identity | STR / Fingerprinting | 85% match to donor Sex match to donor | Allele data recorded and available upon request. First profile recorded for cell line, match to donor. |
| Viability | Visual Assessment | Growth to confluence post-thaw | Acceptable |



Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

| Cell Line Name SIGi001-A-17 Batch / L | ot Number P001 |
|---------------------------------------|----------------|
|---------------------------------------|----------------|

| Test | Assay | Acceptance Criteria | Result |
|------------------------------|--|---|--|
| Phenotype | Continuous visual assessment of iPSC colony morphology | Recorded | Typical PSC colonies with low to medium differentiation levels |
| | Flow Cytometry | SSEA-4 > 70% positive SSEA-1 < 10% positive POU5F1 > 70% positive | Pass |
| Differentiation Potential | Trilineage differentiation and flow cytometry for trilineage markers | Up-regulation of germ layer markers | Endoderm : Pass Mesoderm : Pass Ectoderm : Pass |
| Genomic Stability | G-Banding (10 -20 successful karyotypes recorded) | Sex match to donor. | No chromosomal abnormalities detected |
| Genetic Modification | Sanger sequencing at locus MAPT 17q21.31 | Match to reported modification | Pass |
| | Induction of transgene NGN2 | Match to reported modification | Pass |

Additional guidance on storage, safety and usage can be found in the **EBISC Technical Information**.

| Approved CoA | Signature | Date |
|--------------|-----------|------|
| | | |

