Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

Cell Line Name	BIONi037-A-1	Batch / Lot Number	M001
----------------	--------------	--------------------	------

Reprogramming Method	Episomal vector (POU5F1, SOX2, MYC, LIN28 and KLF4)		
Genetic Modification	AAV vector with CRISPR-Cas9		
Passage Number	Passage 31	Cell number / vial	1x10E6
Culture Matrix	Matrigel™	Culture Medium	mTeSR [™] -1
O ₂ Concentration	21%	CO ₂ Concentration	5%
Passaging Method	EDTA	Additional Culture Information	Rho kinase inhibitor used at thaw
Cryopreservation Medium	Cryostor		
Recommendation for thawing	Recommended thaw into 1 well of a 6-well plate or per 10cm ² Refer to cell line user protocols for further guidance at www.EBiSC.org		
Additional Comments	Typical recovery after thaw, typical growth to confluency		

Please see https://cells.ebisc.org/ for further information on Quality Control and characterisation applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result	
	Inoculation for microbiological growth	Not Detected	Pass	
Sterility	Mycoplasma	Not Detected	Pass	
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Confirmed Pass by depositor	
Cell Line Identity	STR / Fingerprinting	85% match to donor Sex match to donor	Allele data recorded and available upon request. Match to donor	
Viability	Visual Assessment	Growth to confluence post-thaw	Acceptable	
	Continuous visual assessment of iPSC colony morphology	Recorded	Typical PSC colonies with low differentiation levels	
Phenotype	Flow Cytometry	SSEA-4 > 70% + TRA-1-60 > 70% + SSEA-1 < 10% + POU5F1 > 70% +	Pass	



In case of queries, please get in touch via Contact@EBiSC.org

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

Cell Line Name	BIONi037-A-1	Batch / Lot Number	M001
----------------	--------------	--------------------	------

Test	Assay	Acceptance Criteria	Result
Genomic Stability	G-Banding	Sex match to donor. 20 successful karyotypes recorded.	46,XX,del(18)(q21)[1]/ 46,XX[19]
Differentiation Potential	Directed differentiation and qPCR for trilineage markers	Up-regulation of germ layer markers	Endoderm: Pass Mesoderm: Pass Ectoderm: Pass
Genetic Modification	Sanger sequencing at locus	Match to reported modification	ApoE: Gene knockout

Additional guidance c	on storage, safety and usage can be found i	n the <u>EBiSC Technical Information</u> .
Approved CoA	Signature	Date

