

# Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

*This product is for research only*

ECACC Catalogue No: 66540606

Cell Line Name	BIONI037-A-4	Batch / Lot Number	M001
Reprogramming Method	Episomal vector (POU5F1, SOX2, cMYC, LIN28, KLF4)		
Genetic Modification	CRISPR-Cas9		
Passage Number	Passage 31	Cell number / vial	1x10 <sup>6</sup>
Culture Matrix	Matrigel™ / Geltrex™	Culture Medium	mTeSR™-1
O <sub>2</sub> Concentration	21%	CO <sub>2</sub> Concentration	5%
Passaging Method	EDTA	Additional Culture Information	Rho kinase inhibitor used at thaw
Cryopreservation Medium	Cryostor®		
Recommendation for thawing	Recommended thaw into a 50mm cell culture plate Refer to cell line user protocols for further guidance at <a href="http://www.EBiSC.org">www.EBiSC.org</a>		
Additional Comments	Slow recovery after thaw, slow growth to confluency		

Please see <https://cells.ebisc.org/> for further information on Quality Control and characterisation applied to lines released by EBISC. The following standard testing criteria have been determined within EBISC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
Sterility	Inoculation for microbiological growth	Not Detected	Pass
	Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Confirmed Pass by depositor
Cell Line Identity	STR / Fingerprinting	N/A	Allele data recorded and available upon request. Match to donor
Viability	Visual Assessment	Growth to confluence post-thaw	Low, slow recovery
Phenotype	Continuous visual assessment of iPSC colony morphology	Recorded	Typical PSC colonies with low differentiation levels
	Flow Cytometry	SSEA-4 > 70% + TRA-1-60 > 70% + SSEA-1 < 10% + POU5F1 > 70% +	Pass
Differentiation Potential	Spontaneous EB differentiation and qPCR for trilineage markers	Up-regulation of germ layer markers	Endoderm Pass Mesoderm : Pass Ectoderm : Pass

# Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

*This product is for research only*



ECACC Catalogue No: 66540606

Test	Assay	Acceptance Criteria	Result
Genomic Stability	G-Banding	Sex match to donor. 20 successful karyotypes recorded.	No chromosomal abnormalities detected.
Genetic Modification	Sanger sequencing at locus	Match to reported modification	ApoE4/E4. NM_000041.4:c.388T>C

Additional guidance on storage, safety and usage can be found in the [EBiSC Technical Information](#).

Approved CoA

Signature

A handwritten signature in blue ink, appearing to read 'L. Rose', is written over a horizontal blue line.

Date

28.05.2021

[www.EBiSC.org](http://www.EBiSC.org)



In case of queries, please contact [culturecollections.technical@phe.gov.uk](mailto:culturecollections.technical@phe.gov.uk). European Collection of Authenticated Cell Cultures (ECACC), Culture Collections, Public Health England, Tel: +44 (0) 1980 612684