

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

This product is for research only



ECACC Catalogue No: 66540058

Cell Line Name	EDi001-A	Batch / Lot Number	M001
Reprogramming Method	Retrovirus (POU5F1, SOX2, cMYC, and KLF4)		
Passage Number	Passage 27	Cell number / vial	1-2 x10 ⁶
Culture Matrix	Matrigel™	Culture Medium	mTeSR™-1
O ₂ Concentration	21%	CO ₂ Concentration	5%
Passaging Method	EDTA	Additional Culture Information	Rho kinase inhibitor used at thaw
Cryopreservation Medium	Cryostor® CS10		
Recommendation for thawing	Recommended thaw into 1x 60mm plate Refer to cell line user protocols for further guidance at www.EBiSC.org		
Additional Comments	Slow recovery after thaw, normal growth after passage, split 1:3 for first 1-2 passages.		

Please see <https://cells.ebisc.org/> for further information on Quality Control and characterisation applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
Sterility	Inoculation for microbiological growth	Not Detected	Pass
	Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Pass by depositor
Cell Line Identity	STR / Fingerprinting	N/A	Allele data recorded. Gender and profile match to donor.
Viability	Visual Assessment	Growth to confluence post-thaw	Low, slow recovery. Normal growth after passing once.
Phenotype	Continuous visual assessment of iPSC colony morphology	Recorded	Typical PSC colonies with low differentiation levels
	Flow Cytometry	SSEA-4 > 70% + TRA-1-60 > 70% + SSEA-1 < 10% + POU5F1 > 70% +	Pass
Differentiation Potential	Spontaneous EB differentiation and qPCR for trilineage markers	Up-regulation of germ layer markers	Endoderm : Pass Mesoderm : Pass Ectoderm : Pass



In case of queries, please contact culturecollections.technical@phe.gov.uk. European Collection of Authenticated Cell Cultures (ECACC), Culture Collections, Public Health England, Tel: +44 (0) 1980 612684

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

This product is for research only



ECACC Catalogue No: 66540058

Test	Assay	Acceptance Criteria	Result
Genomic Stability	G-Banding	Sex match to donor. 20 successful karyotypes recorded.	No chromosomal abnormalities detected

Additional guidance on storage, safety and usage can be found in the [EBiSC Technical Information](#).

Approved CoA Signature _____ Date _____



In case of queries, please contact culturecollections.technical@phe.gov.uk. European Collection of Authenticated Cell Cultures (ECACC), Culture Collections, Public Health England, Tel: +44 (0) 1980 612684