

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

This product is for research only



ECACC Catalogue No: 66540897

Cell Line Name	UKKi035-C	Batch / Lot Number	M001
Reprogramming Method	Sendai virus (POU5F1, SOX2, KLF4, MYC)		
Passage Number	25	Cell number / vial	2 x 10 ⁶
Culture Matrix	Matrigel™	Culture Medium	mTeSR™-1
Passaging Method	EDTA	Additional Culture Information	Rho kinase inhibitor used at thaw
Cryopreservation Medium	Cryostor CS10		
Recommendation for thawing	Recommended thaw into 60mm plates Refer to cell line user protocols for further guidance at www.EBiSC.org		

Please see <https://cells.ebisc.org> for further information on Quality Control and characterisation applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
Sterility	Inoculation for microbiological growth	Not Detected	Pass
	Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Confirmed Pass by depositor
Cell Line Identity	STR / Fingerprinting	85% match to donor Sex match to donor	Allele data recorded and available upon request. Pass for parental line and donor
Viability	Visual Assessment	Growth to confluence post-thaw	Low, slow recovery
Phenotype	Continuous visual assessment of iPSC colony morphology	Recorded	Typical PSC colonies with low differentiation levels
	Flow Cytometry	SSEA-4 > 70% positive TRA-1-60 > 70% positive SSEA-1 < 10% positive POU5F1 > 70% positive	Pass
Differentiation Potential	Trilineage differentiation and qPCR for trilineage markers	Up-regulation of germ layer markers	Endoderm Pass Mesoderm : Pass Ectoderm : Pass



In case of queries, please contact culturecollections.technical@phe.gov.uk. European Collection of Authenticated Cell Cultures (ECACC), Culture Collections, Public Health England, Tel: +44 (0) 1980 612684

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells

This product is for research only



ECACC Catalogue No: 66540897

Test	Assay	Acceptance Criteria	Result
Genomic Stability	G-Banding (10 -20 successful karyotypes recorded)	Sex match to donor.	No chromosomal abnormalities detected

Additional guidance on storage, safety and usage can be found in the [EBiSC Technical Information](#).

Approved CoA Signature _____ Date _____



In case of queries, please contact culturecollections.technical@phe.gov.uk. European Collection of Authenticated Cell Cultures (ECACC), Culture Collections, Public Health England, Tel: +44 (0) 1980 612684