## Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

Cell Line Name	DRICUi022-A	Batch / Lot Number	P001	
Reprogramming Method	Sendai CytoTune <sup>™</sup> 2.0 (POU5F1, SOX2, MYC, and KLF4)			
Passage Number	Passage 13	Cell number / vial	1-2x10 <sup>6</sup>	
Culture Matrix	Matrigel <sup>™</sup> / Geltrex <sup>™</sup>	Culture Medium	Advanced DMEM/F12 + GlutaMAX, Heparin, Ascorbic Acid-2- phosphate magnesium salt, HEPES, FGF-2 basic 145aa, TGF-beta Optional: mTeSR <sup>™</sup> -1	
O <sub>2</sub> Concentration	18%	CO <sub>2</sub> Concentration	5%	
Passaging Method	EDTA	Additional Culture Information	Rho kinase inhibitor used at thaw / at cryopreservation / at passage	
Cryopreservation Medium	60% ES qualified FCS*/ 20% medium / 20% DMSO *Serum of Zone 1 origin			
Recommendation for thawing	Recommended thaw into 60mm plate(s) Refer to cell line user protocols for further guidance at www.EBiSC.org			
Additional Comments	Typical recovery after thaw, typical growth to confluency			

Please see <u>https://cells.ebisc.org/</u> for further information on Quality Control and characterisation applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
Sterility	Inoculation for microbiological growth	Not Detected	Pass
	Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Confirmed Pass by depositor
Cell Line Identity	STR / Fingerprinting	85% match to donor Sex match to donor	Allele data recorded and available upon request. Pass



In case of queries, please get in touch via Contact@EBiSC.org

DRICUi022-A.P001.CoA.v1

## **Certificate of Analysis (CoA)** for induced Pluripotent Stem Cells



This product is for research only

Cell Line Name		DRICUi022-A		Batch / Lot Number	P001
Test	Assay		A	Acceptance Criteria	Result
Viability	Visual Assessment		Gr	owth to confluence post-thaw	Acceptable
Phenotype	Continuous visual assessment of iPSC colony morphology			Recorded	Typical PSC colonies with low differentiation levels
	Flow Cytometry			NANOG > 70% + TRA-1-60 > 70% +	Pass by depositor
Differentiation Potential	Trilineage differentiation and ICC for trilineage markers		Uŗ	p-regulation of germ layer markers	Endoderm, Mesoderm, Ectoderm: Pass by depositor
Genomic Stability	SNP-Array		S	ex match to donor.	No gross chromosomal abnormalities detected; Pass by depositor

Additional guidance on storage, safety and usage can be found in the **<u>EBiSC Technical Information</u>**.

Approved CoA

Signature\_\_\_\_\_ Date \_\_\_\_\_



In case of queries, please get in touch via Contact@EBiSC.org

DRICUi022-A.P001.CoA.v1