Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

Cell Line Name	DRICUi027-A	Batch / Lot Number	P001	
----------------	-------------	--------------------	------	--

Reprogramming Method	Sendai CytoTun	e™ 2.0 (POU5F1, SOX2, N	MYC, and KLF4)
Passage Number	Passage 13	Cell number / vial	1-2x10 ⁶
Culture Matrix	Matrigel [™] / Geltrex [™]	Culture Medium	Advanced DMEM/F12 + GlutaMAX, Heparin, Ascorbic Acid-2- phosphate magnesium salt, HEPES, FGF-2 basic 145aa, TGF-beta Optional: mTeSR TM -1
O ₂ Concentration	18%	CO ₂ Concentration	5%
Passaging Method	EDTA	Additional Culture Information	Rho kinase inhibitor used at thaw / at cryopreservation / at passage
Cryopreservation Medium	60% ES qualified FCS*/ 20% medium / 20% DMSO *Serum of Zone 1 origin		
Recommendation for thawing	Recommended thaw into 60mm plate(s) Refer to cell line user protocols for further guidance at www.EBiSC.org		
Additional Comments	Slow recovery after thaw, slow growth to confluency		

Please see https://cells.ebisc.org/ for further information on Quality Control and characterisation applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
	Inoculation for microbiological growth	Not Detected	Pass
Sterility	Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Confirmed Pass by depositor
Cell Line Identity	STR / Fingerprinting	85% match to donor Sex match to donor	Allele data recorded and available upon request. Pass
Viability	Visual Assessment	Growth to confluence post-thaw	Low, slow recovery



In case of queries, please get in touch via Contact@EBiSC.org

Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

Cell Line Name	DRICUi027-A	Batch / Lot Number	P001
----------------	-------------	--------------------	------

Test	Assay	Acceptance Criteria	Result
Phenotype	Continuous visual assessment of iPSC colony morphology	Recorded	Typical PSC colonies with low differentiation levels
	Flow Cytometry	NANOG > 70% + TRA-1-60 > 70% +	Pass by depositor
Differentiation Potential	Trilineage differentiation and ICC for trilineage markers	Up-regulation of germ layer markers	Endoderm, Mesoderm, Ectoderm: Pass by depositor
Genomic Stability	SNP-Array	Sex match to donor.	9q32 duplication of 490 kb, 14q11.2 deletion of 730 kb. No other abnormalities >0.4 Mb detected; pass by depositor

Additional guidance on storage, safety and usage can be found in the EBISC Technical Inform		
Approved CoA	Signature	Date

