

Certificate of Analysis 2021

Invoice number: SCTC2021-00016
Name principal investigator: Hans van Bokhoven

Cell line number: IPS21-00022

Project name: -

Table 1: Information on the reprogrammed cell line

| Information cell line: | |
|--|--|
| Product description | PBMCs nucleofected with episomal vectors containing the genes OCT3/4, SOX2, KLF4, L-MYC, LIN28 |
| Parental cell line Parental cell type | PBM20-00042 PBMCs |
| Diagnosis Mutation | N/A* N/A* |
| Number of clones Passage (P) of iPSCs reported at delivery | 1 P6 |
| Culture medium Culture coating Feeders during reprogramming Passage method | Essential 8 Flex medium Matrigel Mouse Embryonic Fibroblasts (MEFs) EDTA |

^{*}N/A: Not Applicable

Table 2: Information on the characterization of the reprogrammed cell line

| Test description: | Test method: | Test specification: | Result: |
|---------------------------------|-----------------------|---|---------|
| Activation of stem cell markers | qPCR | Upregulation of SOX2, LIN28, NANOG, DNMT3B in iPSCs compared with PBMCs | Pass |
| Expression of stem cell markers | Immunocytochemistry · | Expression of OCT4, NANOG, SSEA4, TRA-1-81 | Pass |
| Mycoplasma test | PCR | Negative | Pass |




Figure 1: Cells prior to freezing. clone 1 at P6.

Activation of stem cell markers

The RNA of all clones was isolated before freezing and the gene expression was assessed by quantitative reverse transcription PCR (qRT-PCR). Ct values were normalized with the housekeeping gene GUSB, set at 1.

Absolute expression, normalized to GusB




Figure 2: Gene expression of the iPSC clone compared with the parental PBMCs (ΔCt).

Expression relative to parental line




Figure 3: Pluripotency gene upregulation after reprogramming ($\Delta\Delta$ Ct). The expression fold difference of the iPSC clone is relative to the parental PBMCs.

Expression of stem cell markers

One undifferentiated iPSC clone was stained for the nuclear markers NANOG and OCT4 and surface antigens SSEA4 and TRA-1-81. All markers are expressed in human pluripotent stem cells.

A. IPS21-00022 clone 1




Figure 4: Immunofluorescence staining of the iPSC clone with pluripotency markers.

Pass

Fail

Other:

Silvinalbes

Silvia Albert, PhD

Manager, Radboud Stem Cell Technology Center Date