Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

ECACC Catalogue No: 66540370

Cell Line Name	BIONi010-C-8	Batch Number	P002
Donor ID	CC-2511		
Tissue of Origin	Dermal fibroblast	Phenotype of Donor	Unaffected control
Cell Line Disease Association	Alzheimer's disease	Sex	Male
Gene Editing Method	CRISPR/Cas-9	Gene Editing Target	Trem2 NM_018965 and cgr6:41158506- 41163186
Type of Modification	Isogenic Modification	Parental Line	BIONi010-C
Details of Gene Edit	Trem 2 Genetically modified with a homozygous T66M mutation		
Reprogramming Method	Non-integrating episomal (POU5F1, SOX2, KLF4, MYC, Lin28 and shP53)		
Passage Number	Passage 26	Cell number / vial	1.5 x 10 ⁶
Culture Matrix	Geltrex/Matrigel	Culture Medium	E8
O ₂ Concentration	18%	CO ₂ Concentration	5%
Passaging Method	EDTA	Additional Culture Information	Cells previously cultured using ROCK inhibitor
Cryopreservation Medium	40% FBS* / 50% medium / 10% DMSO *Serum of Zone 1 origin		
Recommendation for thawing	Recommended thaw into 1 well of a 6-well plate or per 10cm ² Refer to cell line user protocols for further guidance at www.EBiSC.org		
Additional Comments	Typical recovery after thaw typical growth to confluence		
Associated Publications	N/A		

Please see www.EBiSC.org for further information on Quality Control applied to lines released by EBiSC. The following standard testing criteria have been determined within EBiSC, prior to release of this product:

Test	Assay	Acceptance Criteria	Result
	Inoculation for microbiological growth	Not Detected	Pass
Sterility	qPCR for Mycoplasma	Not Detected	Pass
	Virology (HBV, HCV, HIV1, HIV2)	Not Detected	Pass



Certificate of Analysis (CoA) for induced Pluripotent Stem Cells



This product is for research only

ECACC Catalogue No: 66540370

Test	Assay	Acceptance Criteria	Result
Cell Line Identity	Short Tandem Repeat analysis using PCR	N/A	Allele data recorded and available upon request. Match to donor
Viability	Visual Assessment	Growth to confluence post-thaw	Acceptable
Phenotype	Continuous visual assessment of iPSC colony morphology	Recorded	Typical iPSC colonies with low differentiation levels
	Flow Cytometry	SSEA-4 > 70% + TRA-1-60 > 70% + SSEA-1 < 10% + POU5F1 > 70% +	Pass
Differentiation Potential	Directed differentiation and qPCR for trilineage markers	Up-regulation of germ layer markers	Endoderm : Detected Mesoderm : Detected Ectoderm : Detected

Additional cell line characteristics have been determined by original reprogramming centres and have not been independently verified by EBiSC. Historical cell line data displayed here is accurate according to data provided by depositors on 16-AUG-2017

Test	Assay	Result
Karyotype	G-Banding	46,XY
Clearance of Gene Editing Plasmid	PCR for CRISPR plasmid	Not detected
Genotyping	Sequencing of target locus	T66M mutation detected

The following guidance can be found in the Instructions for Use		
Intended use	Expiry Date	
Product Format	Recommended storage conditions	
Volume Hazardous Information		

Approved CoA

Signature Jone Ober Date 17 Aug 201+



In case of queries, please contact <u>culturecollections.technical@phe.gov.uk</u>. European Collection of Authenticated Cell Cultures (ECACC), Culture Collections, Public Health England, Tel: +44 (0) 1980 612684