

Certificate of analysis

SFC120-03-03


Operator:Jane VowlesDate: 16/03/2015Supervisor:Sally Cowley Date:16.09.2015Signature:SAConseq

Source of fibroblasts and reprogramming information


- SF120 from University of Oxford 26/03/2014
- Reprogrammed at UOXF JMSCF
- Reprogrammed on 14/08/2014 at passage 4
- Cytotune v1 WP3 SOP10

Viability post-thaw and Morphology according to SOP19 passage no.16

- Cell count immediately post-thaw 3.9 x 10⁶
- Viability immediately post-thaw 79%
- Photo at 24h post-thaw (scale bar = 100µm):



Sendai clearance: according to WP3 SOP15 undetectable at passage 16




+ control SFC120-03-02 SFC120-03-03 SFC120-03-04

Product sizes: SeV 181bp; SeV-Sox 451bp; SeV-Klf 410bp; SeV-Myc 532bp; SeV-Oct 483bp; Actin 92bp


Mycoplasma Test: According to MycoAlert Lonza LT07-318 undetectable at passage 17


Sample	Clone	Passage number	Initial	Reading 1	Reading 2	Ratio/Status
+ve control				5.084	148.1	29.13
-ve control				4.485	0.531	0.12
	SFC120-03-03	p8+9	٦V	1.191	0.913	0.77

Flow cytometric analysis according to WP3 SOP 20 and 21 passage p18



NANOG:





SNP analysis according to WP3 SOP Preparation of DNA and RNA samples for Illumina arrays

- Passage no. 16
- Identity to parent fibroblasts confirmed
- Karyotype abnormalities: none detected
- For details and raw data see StemDB